


**FURLONG**  
WOOD FLOORING

100 years  
in the making  
Natural hardwood flooring





The  
beauty  
of nature  
in your home  
forever.

We provide some of the most beautiful species of hardwood flooring that can be enjoyed throughout your home - floors that never go out of style, should never need replacing and will grow in value in each passing year.

Our hardwood floors are taken from trees of great beauty and age, sourced from forests across Europe. Many of these trees have been nurtured throughout generations, planted by our Great, Great Grandfathers, and cared for over the past 100 years.




# FURLONG

WOOD FLOORING

Most of our collections are oak, a highly versatile wood giving floors of light, smooth, even grain but by careful selection different characters and profiles can be created from a rustic cottage feel to a contemporary finish.

From tree to high technology. Keeping the beauty and a unique character that can only be produced by nature the wood is processed and enhanced for the modern home. Backing added to some ranges to allow it to expand and contract with the temperature differences of under floor heating. The surface coated in the most modern oils, lacquers and varnished to give subtle variations of sheen and hue. The varnishes give protection and strength to help prevent damage from sunlight and every day wear.

Generations to create; many life times to enjoy.





# Caring for the environment

Furlong Wood Flooring takes most of its woods from the huge forests of Europe, taking advantage of the variety and quality of the oak trees that are grown there.

We are keen to take part in sustainable forest management and attach particular importance to the traceability of our floors, from the growing of the raw material in the forests to its sale in the shop. We are FSC and PEFC certified and are working closer and closer with our supply chain to provide us with certified goods and working towards accreditation wherever possible.





A photograph of a living room featuring a bright red sofa on the left, a wooden floor with a prominent grain, and a minimalist background with a lamp and framed art. A semi-transparent white rounded rectangle is overlaid on the upper portion of the image, containing the text 'Solid Wood'.

# Solid Wood

# VINTAGE

The majesty and refinement of solid French Oak with a timeless, rugged appearance.

PEFC™



5430

**French Oak Roussillon Distressed**  
Wax Oiled



5431

**French Oak Chablis Distressed**  
Wax Oiled



5432

**French Oak Medoc Distressed**  
Wax Oiled



5433

**French Oak Blanc Distressed**  
Wax Oiled



**Solid**




- 25 year residential guarantee
- Can be secret nailed or fully adhered
- Pre-finished with Wax Oil
- Tumbled Edges
- Random lengths
- Distressed marks, open knots & cracks
- Made to look like a reclaimed floor
- Not recommended to be installed with an underfloor heating system

<b>LENGTH</b>	600mm - 2000mm
<b>WIDTH</b>	170mm
<b>THICKNESS</b>	15mm
<b>PACK SIZE</b>	2.04m <sup>2</sup>
<b>PALLET SIZE</b>	50 packs = 102m <sup>2</sup>
<b>SPECIES</b>	French Oak



## HARMONIE

Texture and composition blend perfectly to create this solid French Oak range.



5434

### French Oak

Brushed & Matt Lacquered



5435

### French Oak Antique

Brushed & Matt Lacquered



5436

### French Oak Nickel

Brushed & Matt Lacquered



5437

### French Oak Graphite

Brushed & Matt Lacquered



**Solid**



- 25 year residential guarantee
- Can be secret nailed or fully adhered
- Pre-finished with Satin UV Lacquer
- Bevelled on 2 sides
- Random lengths
- Not recommended to be installed with an underfloor heating system

**LENGTH**

600mm - 2000mm

**WIDTH**

150mm

**THICKNESS**

15mm

**PACK SIZE**

1.80m<sup>2</sup>

**PALLET SIZE**

60 packs = 108m<sup>2</sup>

**SPECIES**

French Oak



# VIRGINIA

An eternal solid oak flooring that will never fade or weather, available in a variety of widths.



**Oak Rustic** Lacquered 90



**Oak Rustic** Lacquered 120



**Oak Rustic** Lacquered 150



**Oak Rustic** Oiled 90



**Oak Rustic** Oiled 120



**Oak Rustic** Oiled 150



**Solid**



- 20 year residential guarantee
- Can be secret nailed or fully adhered
- Pre-finished with UV Lacquer
- Provisional coat of Natural Oil (requires further coat upon installation)
- The oil used is natural and left to be air dried
- Micro bevelled on 4 sides
- Random lengths
- Not recommended to be installed with an underfloor heating system

<b>LENGTH</b>	300mm - 1200mm
<b>WIDTH</b>	90mm / 120mm / 150mm
<b>THICKNESS</b>	18mm
<b>PACK SIZE</b>	2.37m <sup>2</sup> / 2.11m <sup>2</sup> / 2.31m <sup>2</sup>
<b>PALLET SIZE</b>	90mm - 45 packs = 106.65m <sup>2</sup> 120mm - 52 packs = 109.72m <sup>2</sup> 150mm - 42 packs = 97.02m <sup>2</sup>
<b>SPECIES</b>	Oak

# Milled Single Strip



## NEXT STEP

Beautiful, high quality wood flooring designed to have the authentic looks and characteristics of solid wood.



1017

**Oak Rustic**  
Matt Lacquered



4683

**Oak Rustic**  
Oiled



4684

**Oak Rustic**  
Brushed & Oiled



4925

**Coffee**  
Brushed & Oiled



4926

**Nutmeg**  
Brushed & Oiled



4927

**Dark Smoked**  
Brushed & Oiled




1021

**Jatoba Luxus**  
Lacquered



1022

**Black American Walnut**  
Lacquered



**5-6mm hardwood top**  
**Multiply**



- 20 year residential guarantee
- Can be secret nailed to load bearing ply, entirely glued or floated
- Pre-finished with UV Lacquer or UV Oil
- Micro bevelled on 4 sides
- Random lengths
- Suitable for underfloor heating (if fully adhered)
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	400mm / 1700mm
<b>WIDTH</b>	125mm
<b>THICKNESS</b>	18mm
<b>PACK SIZE</b>	2.1m <sup>2</sup>
<b>PALLET SIZE</b>	52 packs = 109.2m <sup>2</sup>
<b>SPECIES</b>	Oak / Jatoba / Black American Walnut

## ASPECT

Hardwood floors that can be enjoyed throughout the ages, offering a style and sophistication that is unmatched.




5174 / 5180

**Clear Satin Oak**  
Brushed & Oiled



5175 / 5786

**Black Stained Oak**  
Brushed & Oiled



5176 / 5789

**White Stained Oak**  
Brushed & Oiled



5177 / 5788

**Walnut Stained Oak**  
Brushed & Oiled




5178 / 5785

**Antique Stained Oak**  
Brushed & Oiled



5179 / 5787

**Unfinished Oak**  
Brushed & Oiled



**6mm hardwood top**  
**Multiply**



- 20 year residential guarantee
- Can be secret nailed, entirely glued or floated
- Pre-finished with UV OSMO Oil
- Micro bevelled on 4 sides
- Suitable for underfloor heating (if fully adhered)
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	2200mm
<b>WIDTH</b>	180mm
<b>THICKNESS</b>	20mm
<b>PACK SIZE</b>	1.58m <sup>2</sup>
<b>PALLET SIZE</b>	2200mm - 60 packs = 94.8m <sup>2</sup>
<b>SPECIES</b>	Oak

# MONTANA

Large planks that look and feel like traditional old oak planked flooring. A timeless choice.



**Oak Rustic**  
Oiled



**Oak Rustic**  
Matt Lacquered



**Oak Rustic**  
Brushed & Oiled



**6mm hardwood top**  
**Birch middle layer**  
**Pine base**



- 15 year residential guarantee
- Glued as floating floor
- Pre-finished with Natural Danish Oil or UV Lacquer
- Provisional coat of Natural Oil (requires further coat upon installation)
- Micro bevelled on 4 sides
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	1860mm
<b>WIDTH</b>	189mm
<b>THICKNESS</b>	21mm
<b>PACK SIZE</b>	2.11m <sup>2</sup>
<b>PALLET SIZE</b>	48 packs = 101.28m <sup>2</sup>
<b>SPECIES</b>	Oak



## EMERALD

Hardwood flooring range that brings a sophisticated elegance, warmth, and a natural charm to any home.



1010

**Oak Rustic**  
Lacquered




1011

**Oak Rustic**  
Brushed & Oiled



1013

**Oak Prime**  
Lacquered



**3mm hardwood top**  
**Pine / Spruce middle layer**  
**Pine / Spruce base**



- 15 year residential guarantee
- Glued as floating floor
- Pre-finished with UV Oil or UV Lacquer
- Micro bevelled on 4 sides
- 2 split planks per pack
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	1860mm
<b>WIDTH</b>	148mm
<b>THICKNESS</b>	14mm
<b>PACK SIZE</b>	2.2m <sup>2</sup>
<b>PALLET SIZE</b>	56 packs = 123.2m <sup>2</sup>
<b>SPECIES</b>	Oak

## TEKA ANTIQUÉ

Bringing together the traditional with the nostalgic, hardwood flooring with distinction and character.



3941 / 3942

**Oak Canyon** Oiled



3949 / 3950

**Oak Scandic White** Oiled



3945 / 3946

**Oak Ivory**  
White Washed & Oiled




3953 / 3954

**Oak Costa Golden**  
White Washed & Oiled



3957 / 3958

**Oak Nepal Golden**  
White Washed & Oiled



3965 / 3966

**Oak Ebony Smoked**  
White Washed & Oiled



3961 / 3962

**Oak Havanna Light**  
Fumed / Oiled



**3.4mm hardwood top**  
**Plywood middle layer**  
**Plywood base**



- 25 year residential guarantee
- Lock system as floating floor
- Pre-finished with Triptrap UV Oil
- Micro bevelled on 4 sides
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	1800 / 2200mm
<b>WIDTH</b>	155mm
<b>THICKNESS</b>	14mm
<b>PACK SIZE</b>	1.68m <sup>2</sup> / 2.05m <sup>2</sup>
<b>PALLET SIZE</b>	1800 - 48 packs = 80.64m <sup>2</sup> 2200 - 48 packs = 98.40m <sup>2</sup>
<b>SPECIES</b>	Oak



# TEKA DECK

Beautiful traditional active oak range that is fresh and modern with two different click and lock fittings.

**T&G 3909 / 3910**  
**Lock 3911 / 3912**

**Oak Active**  
Matt Lacquered

**T&G 42 / 34**  
**Lock 3907 / 3908**


**Oak Active**  
Brushed & Oiled

**T&G 31 / 39**  
**Lock 72 / 77**

**Oak Active**  
Brushed & Matt Lacquered

**T&G 3937 / 3938**  
**Lock 3936 / 3935**

**Golden Oak Active**  
Oiled



**3.4mm hardwood top**  
**Plywood middle layer**  
**Plywood base**



- 25 year residential guarantee
- Installed as a floating floor
- Pre-finished with Triptrap UV Oil or Klump Lacquer
- Micro bevelled on 4 sides
- Occasional split planks
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	1800 / 2200mm
<b>WIDTH</b>	155mm
<b>THICKNESS</b>	14mm
<b>PACK SIZE</b>	1.68m <sup>2</sup> / 2.05m <sup>2</sup>
<b>PALLET SIZE</b>	1800 - 48 packs = 80.64m <sup>2</sup> 2200 - 48 packs = 98.40m <sup>2</sup>
<b>SPECIES</b>	Oak

# TEKA CONCEPT

Delightfully modern active oak range  
with a subtle choice of finishes.




**Oak Active**  
Lacquered



**Oak Active**  
Brushed & Matt Lacquered



**Oak Active**  
Brushed & Oiled



**Golden Oak Active**  
Oiled



**3.4mm hardwood top**  
**Plywood middle layer**  
**Plywood base**



- 25 year residential guarantee
- Lock system as floating floor
- Pre-finished with Triptrap UV Oil or Klump Lacquer
- Micro bevelled on 2 sides
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	1085mm
<b>WIDTH</b>	127mm
<b>THICKNESS</b>	14mm
<b>PACK SIZE</b>	0.83m <sup>2</sup>
<b>PALLET SIZE</b>	56 packs = 46.48m <sup>2</sup>
<b>SPECIES</b>	Oak

# Milled 3 Strip



# JIVE

A charming range with character and interest, patterned to replicate traditional ship decking.



5517

**Oak Active**  
Lacquered



5518

**Oak Rustic**  
Lacquered



5519

**Merbau**  
Lacquered



5520

**Oak Rustic**  
Oiled



**3.4mm hardwood top**  
**Northern Pine middle layer**  
**Northern Pine Ply base**



- 17 year residential guarantee
- Lock system as floating floor
- Pre-finished with Becker Acroma UV Oil or UV Lacquer
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	2250mm
<b>WIDTH</b>	190mm
<b>THICKNESS</b>	13.5mm
<b>PACK SIZE</b>	2.57m <sup>2</sup>
<b>PALLET SIZE</b>	40 packs = 102.8m <sup>2</sup>
<b>SPECIES</b>	Oak / Merbau

## WOODLAND

A charming range with character and interest, patterned to replicate traditional ship decking.



217

**Oak Rustic**  
Lacquered



219

**Black American Walnut**  
Lacquered



**3mm hardwood top**  
**Pine / Spruce middle layer**  
**Plywood base**



- 10 year residential guarantee & 5 year commercial guarantee
- Can be floated or entirely glued to the subfloor
- Pre-finished with Lacquer
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	2200mm
<b>WIDTH</b>	189mm
<b>THICKNESS</b>	14mm
<b>PACK SIZE</b>	3.33m <sup>2</sup>
<b>PALLET SIZE</b>	36 packs = 119.88m <sup>2</sup>
<b>SPECIES</b>	Oak / Black American Walnut

# Caring for your floor

## Daily maintenance

By following these simple maintenance guidelines, you will maintain the natural beauty of the floor. You should always remember that wood is a natural product: it's looks will improve as the floor matures. Using the following maintenance guidelines will ensure that your hardwood floor will remain attractive and give many years of pleasure.

- Regularly sweep or vacuum the floor to prevent grit or abrasive dust from accumulating and scratching the surface.
- Wipe up any spilled liquids immediately (wood will absorb liquids and expand or stain).
- Use protective pads under all furniture legs.
- Use barrier mats inside and outside all external doorways.
- Never allow any liquid to remain on the floor. Stains should be removed while they are still wet. After removal of the stain, wipe the floor with a clean, damp cloth.
- Never use wax, oil based detergent or any household cleaners. These may dull or damage the finish, leaving greasy film, making the floor slippery and more difficult to clean. A mop rinsed in water and wood flooring cleaning solution is acceptable so long as the mop is squeezed dry beforehand.

## Periodic maintenance of Natural Oiled products

Re-application of the oil is based upon localised usage and appearance but on average your floor will require a thorough clean and re-oil every 6 to 12 months. If your floor starts to look tired or worn, re-application of a Natural Oil is recommended to maintain the appearance of your floor. Cleaning of the floor is recommended prior to the re-application of the oil or any other surface finishing. This is done by very lightly applying a water and sugar soap solution and then wiping it off immediately. You can then commence with the re-oil. It may be that due to ingrained dirt, you are unable to thoroughly clean the surface. In this instance, it is recommended that you hire a professional to sand down the floor prior to re-applying the oil.

## UV Oiled and Lacquered finish

To remove heavy soiling from the surface, use a well rung out cloth with a wood floor cleaner. The floor may be treated with a "refresher" to supplement the surface lacquer and UV oil.

## Key



**TONGUE & GROOVE FITTING**



**INSTALLATION OVER UNDERFLOOR HEATING**



**UV PROTECTIVE COATING**



**LOCKING SYSTEM FITTING**



**TONGUE & GROOVE GLUED INSTALLATION**



**NATURAL OIL FINISH**



**SECRET NAILED SYSTEM**



**FULLY ADHERED INSTALLATION**

┌  
Retailer: ┐

└ ┘

For more information please visit our website:  
**[www.furlongwoodflooring.co.uk](http://www.furlongwoodflooring.co.uk)**

**FURLONG**  
WOOD FLOORING



Due to printing limitations there may be variations between colours of the actual flooring and the samples shown on this document.